

Grade	Maximum limits of—						Color require- ments ¹ (min- imum)	
	Seeds and heat-damaged ker- nels			Red rice and dam- aged kernels (singly or com- bined) (Per- cent)	Chalky kernels ^{1,2}			Other types ³ (Per- cent)
	Total (singly or com- bined) (Number in 500 grams)	Heat- dam- aged kernels and ob- jection- able seeds (singly or com- bined) (Number in 500 grams)	Heat- dam- aged kernels (Number in 500 grams)					
					In long grain rice (Per- cent)	In me- dium or short grain rice (Per- cent)		
U.S. No. 6	75	75	75	⁴ 15.0	15.0	15.0	10.0	May be dark gray or rosy.
U.S. Sample grade								
U.S. Sample grade shall be rough rice which: (a) does not meet the requirements for any of the grades from U.S. No. 1 to U.S. No. 6, inclusive; (b) contains more than 14.0 percent of moisture; (c) is musty, or sour, or heating; (d) has any commercially objectionable foreign odor; or (e) is otherwise of distinctly low quality.								

¹ For the special grade Parboiled rough rice, see § 868.212(b).

² For the special grade Glutinous rough rice, see § 868.212(d).

³ These limits do not apply to the class Mixed Rough Rice.

⁴ Rice in grade U.S. No. 6 shall contain not more than 6.0 percent of damaged kernels.

[56 FR 55978, Oct. 31, 1991. Redesignated and amended at 60 FR 16364, Mar. 30, 1995]

§ 868.211 Grade designation.

(a) The grade designation for all classes of rough rice, except Mixed Rough Rice, shall include in the following order: (1) The letters “U.S.”; (2) the number of the grade or the words “Sample grade,” as warranted; (3) the words “or better” when applicable and requested by the applicant prior to inspection; (4) the class; (5) each applicable special grade (see § 868.213); and (6) a statement of the milling yield.

(b) The grade designation for the class Mixed Rough Rice shall include, in the following order: (1) The letters “U.S.”; (2) the number of the grade or the words “Sample grade,” as warranted; (3) the words “or better,” when applicable and requested by the applicant prior to inspection; (4) the class; (5) each applicable special grade (see § 868.213); (6) the percentage of whole kernels of each type in the order of predominance; (7) the percentage of large broken kernels of each type in the order of predominance; (8) the percent of material removed by the No. 6 sieve or the No. 6 sizing plate; (9) when applicable, the percentage of seeds; and (10) a statement of the milling yield.

NOTE: Large broken kernels other than long grain, in Mixed Rough Rice, shall be certificated as “medium or short grain.”

[42 FR 40869, Aug. 12, 1977, as amended at 54 FR 51344, Dec. 14, 1989. Redesignated and amended at 60 FR 16364, 16365, Mar. 30, 1995]

SPECIAL GRADES, SPECIAL GRADE REQUIREMENTS, AND SPECIAL GRADE DESIGNATIONS

§ 868.212 Special grades and requirements.

A special grade, when applicable, is supplemental to the grade assigned under § 868.210. Such special grades for rough rice are established and determined as follows:

(a) *Infested rough rice.* Tolerances for live insects for infested rough rice are defined according to sampling designations as follows:

(1) *Representative sample.* The representative sample consists of the work portion, and the file sample if needed and when available. The rough rice (except when examined according to paragraph (a)(3) of this section will be considered infested if the representative sample contains two or more live weevils, or one live weevil and one or more other live insects injurious to stored rice or five or more other live insects injurious to stored rice.